

अनुक्रमांक .....

नाम .....

928

822 (RE)

2022

गणित

[पूर्णांक : 70]

समय : तीन घण्टे 15 मिनट।

निर्देश :

- (i) प्रारम्भ के 15 मिनट परीक्षार्थियों को प्रश्न-पत्र पढ़ने के लिए निर्धारित हैं।
- (ii) इस प्रश्न-पत्र में कुल सात प्रश्न हैं।
- (iii) सभी प्रश्न अनिवार्य हैं।
- (iv) प्रत्येक प्रश्न के अंक उसके सम्मुख अंकित हैं।
- (v) प्रथम प्रश्न से आरम्भ कीजिए और अंत तक करते जाइए। जो प्रश्न न आता हो, उस पर समय नष्ट न कीजिए।
- (vi) प्रश्न संख्या 1 के अतिरिक्त सभी प्रश्नों के हल के क्रियापद लिखिए।
- (vii) प्रश्नों के हल उत्तर-पुस्तिका के दोनों ओर लिखिए। यदि रफ कार्य के लिए स्थान अपेक्षित है, तो उत्तर-पुस्तिका के बाएँ पृष्ठ पर करके उसे काट (x) दीजिए। इस पृष्ठ पर कोई हल न करें।
- (viii) रचना से सम्बन्धित प्रश्नों में रचना रेखाएँ न मिटाएँ। रचना-पद संक्षेप में अवश्य लिखिए।
- (ix) जिन प्रश्नों के हल में चित्र खींचना आवश्यक है, उनमें स्वच्छ एवं शुद्ध चित्र अवश्य खींचिए। बिना चित्र के ऐसे हल अपूर्ण और अशुद्ध माने जाएँगे।

1. सभी खण्ड कीजिए :

प्रत्येक खण्ड के उत्तर के लिए चार विकल्प दिए गए हैं, जिनमें से केवल एक ही सही है। सही विकल्प छाँटकर उसे अपनी उत्तर-पुस्तिका में लिखिए।

(क) दिया गया है ल.स.  $(132, 288) = 3168$ , तो म.स.  $(132, 288)$  है

- (i) 288                      (ii) 132                      (iii) 48                      (iv) 12

(ख) द्विघात समीकरण  $3x^2 - 6x + 4 = 0$  का विविक्तकर है

- (i) 12                      (ii) 13                      (iii) -12                      (iv)  $3\sqrt{6}$

(ग) बिन्दुओं  $A(-4, 2)$  तथा  $B(5, 6)$  को जोड़ने वाले रेखाखंड का मध्य-बिन्दु  $P(\frac{a}{8}, 4)$  है।  $a$  का मान है

- (i) -8                      (ii) -4                      (iii) 2                      (iv) 4


(घ) यदि  $\Delta PQR$  में,  $PQ = 6\sqrt{3}$  सेमी,  $PR = 12$  सेमी और  $QR = 6$  सेमी है, तो  $\angle Q$  है

- (i)  $120^\circ$                       (ii)  $90^\circ$                       (iii)  $60^\circ$                       (iv)  $45^\circ$

- (क) यदि  $\cos \theta = \sin \theta$ ,  $0^\circ \leq \theta < 90^\circ$  है, तो कोण  $\theta$  बराबर है  
 (i)  $0^\circ$  (ii)  $30^\circ$  (iii)  $45^\circ$  (iv)  $60^\circ$   
 (च) यदि एक वृत्त का परिमाप और क्षेत्रफल संख्यात्मक रूप से समान हैं, तो उस वृत्त की त्रिज्या है  
 (i) 2 मात्रक (ii)  $\sqrt{2}$  मात्रक (iii) 4 मात्रक (iv) 7 मात्रक

2. सभी खण्ड कीजिए :

- (क)  $k$  का मान ज्ञात कीजिए, जिसके लिए द्विघात समीकरण  $kx^2 + 20x + 25 = 0$  के मूल समान हैं।  
 (ख) चित्र में,  $DE \parallel BC$ । यदि  $DB = 10.8$  सेमी,  $AE = 2.7$  सेमी तथा  $EC = 8.1$  सेमी है, तो  $AD$  ज्ञात कीजिए।



- (ग) यदि  $\operatorname{cosec} \theta = \frac{13}{5}$  है, तो  $\cot \theta$  का मान ज्ञात कीजिए।  
 (घ) 8 सेमी त्रिज्या वाली धातु की एक ठोस गोलाकार गेंद को पिघलाकर 8 समान आकार की छोटी ठोस गेंदें बनाई गई हैं। प्रत्येक नई गेंद की त्रिज्या ज्ञात कीजिए।

3. सभी खण्ड कीजिए :

- (क) सिद्ध कीजिए कि  $2 - \sqrt{5}$  एक अपरिमेय संख्या है।  
 (ख) दो संपूरक कोणों में बड़ा कोण, छोटे कोण से 36 डिग्री अधिक है। कोण ज्ञात कीजिए।  
 (ग) बिन्दु  $(-4, 6)$ , बिन्दुओं  $(-6, 10)$  और  $(3, -8)$  को जोड़ने वाले रेखाखंड को किस अनुपात में विभाजित करता है ?  
 (घ) यदि  $\cos(A - B) = \frac{\sqrt{3}}{2}$  और  $\sin(A + B) = \frac{\sqrt{3}}{2}$ ,  $0^\circ < (A + B) \leq 90^\circ$  और  $A > B$  है, तो  $A$  और  $B$  ज्ञात कीजिए।

4. सभी खण्ड कीजिए :

- (क) यूक्लिड विभाजन एल्गोरिथ्म से संख्याओं 165 और 255 का म.स. ज्ञात कीजिए।  
 (ख)  $x$  और  $y$  में एक संबंध ज्ञात कीजिए, यदि बिन्दु  $(1, 2)$ ,  $(0, 0)$  तथा  $(x, y)$  संरेखी हैं।  
 (ग)  $\frac{2 \cot 15^\circ}{\tan 75^\circ} - 2 \sin 30^\circ \cot 45^\circ \sec 60^\circ$  का मान ज्ञात कीजिए।

(English Version)

**Instructions :**

- (i) First 15 minutes time has been allotted for examinees to read this question paper.
- (ii) This question paper contains seven questions in all.
- (iii) All questions are compulsory.
- (iv) Marks allotted to each question are mentioned against it.
- (v) Start from the first question and proceed to the last. Do not waste time over a question, which you cannot solve.
- (vi) Write the steps of solution of all the questions except question number 1.
- (vii) Write the solutions of the questions on both sides of the answer-book. If space for rough work is required, use the left page of the answer-book and cross (×) it. Do not write any solution on this page.
- (viii) Do not erase the construction lines in the questions relating to construction. Do write steps of the construction in brief.
- (ix) In solving the questions, explain your answer with the help of neat and correct diagrams where necessary. Such questions without diagrams will be treated as incomplete and incorrect.

**1. Do all the parts :**

Four alternatives of the answer of each part are given, out of which only one is correct. Pick out the correct alternative and write it in your answer-book.

- (a) Given that LCM (132, 288) = 3168, HCF (132, 288) is 1  
(i) 288                      (ii) 132                      (iii) 48                      (iv) 12
- (b) The discriminant of the quadratic equation  $3x^2 - 6x + 4 = 0$  is 1  
(i) 12                      (ii) 13                      (iii) -12                      (iv)  $3\sqrt{6}$
- (c) Point  $P(\frac{a}{8}, 4)$  is the mid-point of the line segment joining the points 1  
 $A(-4, 2)$  and  $B(5, 6)$ . The value of  $a$  is  
(i) -8                      (ii) -4                      (iii) 2                      (iv) 4
- (d) If in  $\Delta PQR$ ,  $PQ = 6\sqrt{3}$  cm,  $PR = 12$  cm and  $QR = 6$  cm, then  $\angle Q$  is 1  
(i)  $120^\circ$                       (ii)  $90^\circ$                       (iii)  $60^\circ$                       (iv)  $45^\circ$
- (e) If  $\cos \theta = \sin \theta$ ,  $0^\circ \leq \theta < 90^\circ$ , then angle  $\theta$  is equal to 1  
(i)  $0^\circ$                       (ii)  $30^\circ$                       (iii)  $45^\circ$                       (iv)  $60^\circ$
- (f) If the perimeter and the area of a circle are numerically equal, then the 1  
radius of the circle is  
(i) 2 units                      (ii)  $\pi$  units                      (iii) 4 units                      (iv) 7 units

**2. Do all the parts :**


- (a) Find the value of  $k$  for which the roots of the quadratic equation  $kx^2 + 20x + 25 = 0$  are equal. 1

6. सभी खण्ड कीजिए :

(क) निम्नलिखित समीकरण युग्म को हल कीजिए :

$$\frac{3}{x} + \frac{2}{y} = 11, \quad \frac{4}{x} - \frac{5}{y} = 7$$

- (ख) एक बहुभुजित भवन के शिखर से 10 मी. ऊँचे स्तम्भ के शिखर और तल के अवनमन कोण क्रमशः  $30^\circ$  और  $45^\circ$  हैं। बहुभुजित भवन की ऊँचाई तथा स्तम्भ और भवन के बीच की दूरी ज्ञात कीजिए। 4
- (ग) चित्र में,  $OACB$ , केन्द्र  $O$  और 3.5 सेमी त्रिज्या वाले एक वृत्त का चतुर्भुज है। यदि  $OD = 2$  सेमी है, तो छायांकित भाग का क्षेत्रफल ज्ञात कीजिए। 4



निम्नलिखित आँकड़ों का माध्यक 28.5 है। यदि बारंबारताओं का योगफल 60 है, तो  $x$  और  $y$  के मान ज्ञात कीजिए :

वर्ग अन्तराल	बारम्बारता
0 - 10	5
10 - 20	$x$
20 - 30	20
30 - 40	15
40 - 50	$y$
50 - 60	5

7. सभी खण्ड कीजिए :

- (क) दो वर्गों के क्षेत्रफलों का योगफल 400 वर्ग मी. है। यदि उनके परिमाणों का अन्तर 16 मी. हो, तो दोनों वर्गों की भुजाएँ ज्ञात कीजिए। 6

अथवा

एक भिन्न  $\frac{1}{3}$  हो जाती है, जब उसके अंश में 1 जोड़ दिया जाता है और वह  $\frac{1}{4}$  हो जाती है, जब इसके हर से 1 घटाया जाता है। वह भिन्न ज्ञात कीजिए। 6

- (ख) 4 सेमी त्रिज्या के एक वृत्त पर 5 सेमी त्रिज्या के एक संकेन्द्रीय वृत्त के किसी बिन्दु से एक स्पर्शरेखा की रचना कीजिए और उसकी लंबाई मापिए। परिकलन से इस माप की जाँच भी कीजिए। 6

अथवा

5 सेमी, 6 सेमी और 7 सेमी भुजाओं वाले एक त्रिभुज की रचना कीजिए और फिर इसके समरूप एक अन्य त्रिभुज की रचना कीजिए जिसकी भुजाएँ, दिए हुए त्रिभुज की संगत भुजाओं की  $\frac{3}{4}$  गुनी हों। 6

(घ) निम्नलिखित बारम्बारता बंटन का बहुलक ज्ञात कीजिए :

2


वर्ग अन्तराल	बारम्बारता
1 - 3	6
3 - 5	8
5 - 7	2
7 - 9	3
9 - 11	1

5. सभी खण्ड कीजिए :

22

(क) चित्र में,  $ABCD$  एक समलंब है, जिसमें  $AB \parallel DC$  है। असमांतर भुजाओं  $AD$  और  $BC$  पर क्रमशः बिन्दु  $E$  और  $F$  इस प्रकार स्थित हैं कि  $EF$  भुजा  $AB$  के समांतर है। दर्शाइए कि  $\frac{AE}{ED} = \frac{BF}{FC}$ ।

4



(ख) द्विघात समीकरण  $\sqrt{3}x^2 - 11x + 8\sqrt{3} = 0$  के मूल ज्ञात कीजिए।

4

(ग) 4.2 सेमी त्रिज्या वाले धातु के एक ठोस गोले को पिघलाकर 6 सेमी त्रिज्या वाले एक ठोस बेलन के रूप में ढाला जाता है। बेलन की ऊँचाई ज्ञात कीजिए।


4

(घ) निम्नलिखित बारम्बारता सारणी का माध्य ज्ञात कीजिए :

4

वर्ग अन्तराल	बारम्बारता
10 - 25	2
25 - 40	3
40 - 55	7
55 - 70	6
70 - 85	8
85 - 100	4

- (b) In the figure,  $DE \parallel BC$ . If  $DB = 10.8$  cm,  $AE = 2.7$  cm and  $EC = 8.1$  cm, then find  $AD$ . 1



- (c) If  $\operatorname{cosec} \theta = \frac{13}{5}$ , then find the value of  $\cot \theta$ . 1

- (d) A spherical solid metal ball of radius 8 cm is melted to make 8 smaller identical solid balls. Find the radius of each new ball. 1

3. Do *all* the parts :


- (a) Prove that  $2 - \sqrt{5}$  is an irrational number. 2
- (b) The larger of two supplementary angles exceeds the smaller angle by 36 degrees. Find the angle. 2
- (c) In what ratio does the point  $(-4, 6)$  divide the line segment joining the points  $(-6, 10)$  and  $(3, -8)$ ? 2
- (d) If  $\cos(A - B) = \frac{\sqrt{3}}{2}$  and  $\sin(A + B) = \frac{\sqrt{3}}{2}$ ,  $0^\circ < (A + B) \leq 90^\circ$  and  $A > B$ , then find  $A$  and  $B$ . 2

4. Do *all* the parts :

- (a) Find the HCF of numbers 165 and 255 using Euclid's division algorithm. 2
- (b) Find a relation between  $x$  and  $y$ , if the points  $(1, 2)$ ,  $(0, 0)$  and  $(x, y)$  are collinear. 2
- (c) Find the value of  $\frac{2 \cot 15^\circ}{\tan 75^\circ} - 2 \sin 30^\circ \cot 45^\circ \sec 60^\circ$ . 2
- (d) Find the mode of the following frequency distribution : 2

Class Interval	Frequency
1 - 3	6
3 - 5	8
5 - 7	2
7 - 9	3
9 - 11	1

- (c) In the figure,  $OACB$  is a quadrant of a circle with centre  $O$  and radius  $3.5$  cm. If  $OD = 2$  cm, find the area of the shaded region. 4



- (d) The median of the following data is  $28.5$ . If the sum of frequencies is  $60$ , then find the values of  $x$  and  $y$ . 4

Class Interval	Frequency
0 - 10	5
10 - 20	$x$
20 - 30	20
30 - 40	15
40 - 50	$y$
50 - 60	5

7. Do *all* the parts :

- (a) The sum of the areas of two squares is  $400 \text{ m}^2$ . If the difference of their perimeters is  $16 \text{ m}$ , then find the sides of the two squares. 6

OR

A fraction becomes  $\frac{1}{3}$  when  $1$  is added to the numerator and it becomes

$\frac{1}{4}$  when  $1$  is subtracted from its denominator. Find the fraction. 6

- (b) Construct a tangent to a circle of radius  $4 \text{ cm}$  from a point on the concentric circle of radius  $5 \text{ cm}$  and measure its length. Also verify this measurement by calculation. 6

OR


Construct a triangle with sides  $5 \text{ cm}$ ,  $6 \text{ cm}$  and  $7 \text{ cm}$  and then construct a triangle similar to it whose sides are  $\frac{3}{4}$  of the corresponding sides of the given triangle. 6

8

5. Do *all* the parts :

- (a) In the figure,  $ABCD$  is a trapezium with  $AB \parallel DC$ .  $E$  and  $F$  are points on non-parallel sides  $AD$  and  $BC$  respectively such that  $EF$  is parallel to  $AB$ .

Show that  $\frac{AE}{ED} = \frac{BF}{FC}$ .



- (b) Find the roots of the quadratic equation  $\sqrt{3}x^2 - 11x + 8\sqrt{3} = 0$ .
- (c) A metallic solid sphere of radius 4.2 cm is melted and recasted into the shape of a solid cylinder of radius 6 cm. Find the height of the cylinder.
- (d) Find the mean of the following frequency table :

Class Interval	Frequency
10 - 25	2
25 - 40	3
40 - 55	7
55 - 70	6
70 - 85	8
85 - 100	4

6. Do *all* the parts :

- (a) Solve the following pair of equations :

$$\frac{3}{x} + \frac{2}{y} = 11, \quad \frac{4}{x} - \frac{5}{y} = 7$$

- (b) The angles of depression of the top and the bottom of a 10 m high pillar from the top of a multi-storeyed building are  $30^\circ$  and  $45^\circ$  respectively. Find the height of the multi-storeyed building and the distance between the pillar and the building.