Strictly Confidential — (For Internal and Restricted Use Only)

Secondary School Examination

March 2018

Marking Scheme — Mathematics 30/1, 30/2, 30/3

General Instructions:

1. The Marking Scheme provides general guidelines to reduce subjectivity in the marking. The answers given in the Marking Scheme are suggested answers. The content is thus indicative. If a student has given any other answer which is different from the one given in the Marking Scheme, but conveys the meaning, such answers should be given full weightage

2. Evaluation is to be done as per instructions provided in the marking scheme. It should not be done according to one's own interpretation or any other consideration — Marking Scheme should be strictly adhered to and religiously followed.

3. Alternative methods are accepted. Proportional marks are to be awarded.

4. If a candidate has attempted an extra question, marks obtained in the question attempted first should be retained and the other answer should be scored out.

5. A full scale of marks - 0 to 80 has to be used. Please do not hesitate to award full marks if the answer deserves it.

6. Separate Marking Scheme for all the three sets has been given.

7. As per orders of the Hon'ble Supreme Court, the candidates would now be permitted to obtain photocopy of the Answer book on request on payment of the prescribed fee. All examiners/Head Examiners are once again reminded that they must ensure that evaluation is carried out strictly as per value points for each answer as given in the Marking Scheme.

QUESTION PAPER CODE 30/1

EXPECTED ANSWER/VALUE POINTS

SECTION A

1. $x = 3$ is one root of the equation

$\therefore \quad 9 - 6k - 6 = 0$ ½

$\Rightarrow \quad k = \frac{1}{2}$ ½

2. The required numbers are 2 and 4. ½

HCF of 2 and 4 is 2. ½

3. $OP = \sqrt{x^2 + y^2}$ 1

4. $a + 6(-4) = 4$ ½

$\Rightarrow \quad a = 28$ ½

5. $\because \quad \cos 67° = \sin 23°$

$\therefore \quad \cos^2 67° - \sin^2 23 = 0$ 1

6. $\frac{\text{ar } \Delta ABC}{\text{ar } \Delta PQR} = \frac{AB^2}{PQ^2}$

$= \left(\frac{1}{3}\right)^2 = \frac{1}{9}$ 1

SECTION B

7. Let us assume $5 + 3\sqrt{2}$ is a rational number.

$\therefore \quad 5 + 3\sqrt{2} = \frac{p}{q}$ where $q \neq 0$ and p and q are integers. ½

$\Rightarrow \quad \sqrt{2} = \frac{p - 5q}{3q}$ ½

$\Rightarrow \quad \sqrt{2}$ is a rational number as RHS is rational ½

This contradicts the given fact that $\sqrt{2}$ is irrational.

Hence $5 + 3\sqrt{2}$ is an irrational number. ½

8. AB = DC and BC = AD

$\Rightarrow \quad x + y = 30$
and $\quad x - y = 14$ } 1

Solving to get $x = 22$ and $y = 8$. $\frac{1}{2} + \frac{1}{2}$

9. $S = 3 + 6 + 9 + 12 + ... + 24$

$= 3(1 + 2 + 3 + ... + 8)$ $\frac{1}{2}$

$= 3 \times \frac{8 \times 9}{2}$ 1

$= 108$ $\frac{1}{2}$

10. Let AP : PB = k : 1

$\therefore \quad \frac{6k + 2}{k + 1} = 4$



1

$\Rightarrow \quad k = 1$, ratio is 1 : 1 $\frac{1}{2}$

Hence $m = \frac{-3 + 3}{2} = 0$ $\frac{1}{2}$

11. Total number of possible outcomes = 36

(i) Doublets are (1, 1) (2, 2) (3, 3) (4, 4) (5, 5) (6, 6)

Total number of doublets = 6 $\frac{1}{2}$

$\therefore$ Prob (getting a doublet) $= \frac{6}{36}$ or $\frac{1}{6}$ $\frac{1}{2}$

(ii) Favourable outcomes are (4, 6) (5, 5) (6, 4) i.e., 3 $\frac{1}{2}$

$\therefore$ Prob (getting a sum 10) $= \frac{3}{36}$ or $\frac{1}{12}$ $\frac{1}{2}$

12. Total number of outcomes = 98

(i) Favourable outcomes are 8, 16, 24, ..., 96 i.e., 12 $\frac{1}{2}$

$\therefore$ Prob (integer is divisible by 8) $= \frac{12}{98}$ or $\frac{6}{49}$ 1

(ii) Prob (integer is not divisible by 8) $= 1 - \frac{6}{49}$

$= \frac{43}{49}$ ½

SECTION C

13. $404 = 2 \times 2 \times 101 = 2^2 \times 101$

$96 = 2 \times 2 \times 2 \times 2 \times 2 \times 3 = 2^5 \times 3$

$\therefore$ HCF of 404 and 96 $= 2^2 = 4$ 1

LCM of 404 and 96 $= 101 \times 2^5 \times 3 = 9696$ 1

HCF × LCM $= 4 \times 9696 = 38784$

Also $404 \times 96 = 38784$

Hence HCF × LCM = Product of 404 and 96. 1

14. $p(x) = 2x^4 - 9x^3 + 5x^2 + 3x - 1$

$2 + \sqrt{3}$ and $2 - \sqrt{3}$ are zeroes of p(x)

$\therefore$ $p(x) = (x - 2 - \sqrt{3})(x - 2 + \sqrt{3}) \times g(x)$

$= (x^2 - 4x + 1)\, g(x)$ 1

$(2x^4 - 9x^3 + 5x^2 + 3x - 1) \div (x^2 - 4x + 1) = 2x^2 - x - 1$ 1

$\therefore$ $g(x) = 2x^2 - x - 1$

$= (2x + 1)(x - 1)$

Therefore other zeroes are $x = -\frac{1}{2}$ and $x = 1$

$\therefore$ Therefore all zeroes are $2 + \sqrt{3}, 2 - \sqrt{3}, -\frac{1}{2}$ and 1 1

15.



ABCD is a parallelogram

$\therefore$ diagonals AC and BD bisect each other

Therefore

Mid point of BD is same as mid point of AC $\frac{1}{2}$

$$\Rightarrow \left(\frac{a+1}{2}, \frac{2}{2}\right) = \left(\frac{-2+4}{2}, \frac{b+1}{2}\right) \quad 1$$

$$\Rightarrow \frac{a+1}{2} = 1 \text{ and } \frac{b+1}{2} = 1$$

$\Rightarrow$ a = 1, b = 1. Therefore length of sides are $\sqrt{10}$ units each. $\frac{1}{2}+1$

OR



Area of quad ABCD = Ar ΔABD + Ar ΔBCD $\frac{1}{2}$

$$\text{Area of } \Delta ABD = \frac{1}{2}\left|(-5)(-5-5)+(-4)(5-7)+(4)(7+5)\right|$$

$$= 53 \text{ sq units} \quad 1$$

$$\text{Area of } \Delta BCD = \frac{1}{2}\left|(-4)(-6-5)+(-1)(5+5)+4(-5+6)\right|$$

$$= 19 \text{ sq units} \quad 1$$

Hence area of quad. ABCD = 53 + 19 = 72 sq units $\frac{1}{2}$

16. Let the usual speed of the plane be x km/hr.

$$\therefore \quad \frac{1500}{x} - \frac{1500}{x+100} = \frac{30}{60} \quad 1$$

$$\Rightarrow \quad x^2 + 100x - 300000 = 0$$

$$\Rightarrow \quad x^2 + 600x - 500x - 300000 = 0$$

$$\Rightarrow \quad (x + 600)(x - 500) = 0 \quad 1$$

$x \neq -600$, $\therefore$ x = 500 $\frac{1}{2}$

Speed of plane = 500 km/hr $\frac{1}{2}$

17.



Let the side of the square be 'a' units

$\therefore \quad AC^2 = a^2 + a^2 = 2a^2$

$\Rightarrow \quad AC = \sqrt{2}\,a$ units 1

Area of equilateral $\Delta BCF = \frac{\sqrt{3}}{4}a^2$ sq.u ½

Area of equilateral $\Delta ACE = \frac{\sqrt{3}}{4}(\sqrt{2}\,a)^2 = \frac{\sqrt{3}}{2}a^2$ sq.u 1

$\Rightarrow \quad$ Area $\Delta BCF = \frac{1}{2}$ Ar ΔACE ½

OR

Let $\Delta ABC \sim \Delta PQR$.

$\therefore \quad \frac{\text{ar}\,\Delta ABC}{\text{ar}\,\Delta PQR} = \frac{AB^2}{PQ^2} = \frac{BC^2}{QR^2} = \frac{AC^2}{PR^2}$ 1

Given ar ΔABC = ar ΔPQR

$\Rightarrow \quad \frac{AB^2}{PQ^2} = 1 = \frac{BC^2}{QR^2} = \frac{AC^2}{PR^2}$ 1

$\Rightarrow \quad AB = PQ,\ BC = QR,\ AC = PR$

$\Rightarrow \quad$ Therefore $\Delta ABC \cong \Delta PQR$. (sss congruence rule) 1

18. Correct given, To prove, Figure, Construction ½ ×4=2

Correct proof 1

19. $4\tan\theta = 3$

$\Rightarrow \quad \tan\theta = \frac{3}{4}$

$\Rightarrow \quad \sin\theta = \frac{3}{5}$ and $\cos\theta = \frac{4}{5}$ ½ + ½

$\therefore \quad \frac{4\sin\theta - \cos\theta + 1}{4\sin\theta + \cos\theta - 1} = \frac{4\times\frac{3}{5} - \frac{4}{5} + 1}{4\times\frac{3}{5} + \frac{4}{5} - 1}$ 1

$= \frac{13}{11}$ 1

OR

$\tan 2A = \cot (A - 18°)$

$\Rightarrow \quad 90° - 2A = A - 18°$ 1

$\Rightarrow \quad 3A = 108°$ 1

$\Rightarrow \quad A = 36°$ 1

20. Radius of each arc drawn = 6 cm ½

Area of one quadrant = $(3.14) \times \frac{36}{4}$

Area of four quadrants = $3.14 \times 36 = 113.04$ cm^2 1

Area of square ABCD = $12 \times 12 = 144$ cm^2 1

Hence Area of shaded region = $144 - 113.04$

$= 30.96$ cm^2 ½

21. Total surface Area of article = CSA of cylinder + CSA of 2 hemispheres

CSA of cylinder = $2\pi rh$

$= 2 \times \frac{22}{7} \times 3.5 \times 10$

$= 220$ cm^2 1

Surface Area of two hemispherical scoops = $4 \times \frac{22}{7} \times 3.5 \times 3.5$

$= 154$ cm^2 1

Total surface Area of article = $220 + 154$

$= 374$ cm^2 1

OR

Radius of conical heap = 12 m ½

Volume of rice = $\frac{1}{3} \times \frac{22}{7} \times 12 \times 12 \times 3.5$ m^3

$= 528$ m^3 1

Area of canvas cloth required = πrl

$l = \sqrt{12^2 + (3.5)^2} = 12.5$ m ½

$\therefore$ Area of canvas required $= \frac{22}{7} \times 12 \times 12.5$

$= 471.4\ m^2$ 1

22.

Salary (in thousand Rs)	No. of persons (f)	cf
5–10	49	49
10–15	133	182
15–20	63	245
20–25	15	260
25–30	6	266
30–35	7	273
35–40	4	277
40–45	2	279
45–50	1	280

1

$\frac{N}{2} = \frac{280}{2} = 140$

Median class is 10–15

Median $= l + \frac{h}{f}\left(\frac{N}{2} - C\right)$

$= 10 + \frac{5}{133}(140 - 49)$ 1

$= 10 + \frac{5 \times 91}{133}$

$= 13.42$

Median salary is Rs 13.42 thousand or Rs 13420 (approx) 1

SECTION D

23. Let the speed of stream be x km/hr.

$\therefore$ The speed of the boat upstream = $(18 - x)$ km/hr
and Speed of the boat downstream = $(18 + x)$ km/hr } 1

As given in the question,

$$\frac{24}{18-x} - \frac{24}{18+x} = 1 \qquad 1$$

$\Rightarrow$ $x^2 + 48x - 324 = 0$ $\frac{1}{2}$

$\Rightarrow$ $(x + 54)(x - 6) = 0$

$x \neq -54$, $\therefore$ $x = 6$ 1

$\therefore$ Speed of the stream = 6 km/hr. $\frac{1}{2}$

OR

Let the original average speed of train be x km/hr.

Therefore $\frac{63}{x} + \frac{72}{x+6} = 3$ $1\frac{1}{2}$

$\Rightarrow$ $x^2 - 39x - 126 = 0$ 1

$\Rightarrow$ $(x - 42)(x + 3) = 0$

$x \neq -3$ $\therefore$ $x = 42$ 1

Original speed of train is 42 km/hr. $\frac{1}{2}$

24. Let the four consecutive terms of the A.P. be

$a - 3d$, $a - d$, $a + d$, $a + 3d$. $\frac{1}{2}$

By given conditions

$$(a - 3d) + (a - d) + (a + d) + (a + 3d) = 32$$

$\Rightarrow$ $4a = 32$

$\Rightarrow$ $a = 8$ 1

and $\frac{(a-3d)(a+3d)}{(a-d)(a+d)} = \frac{7}{15}$ 1

$\Rightarrow$ $8a^2 = 128d^2$

$\Rightarrow \quad d^2 = 4$ ½

$\Rightarrow \quad d = \pm 2$ 1

$\therefore$ Numbers are 2, 6, 10, 14 or 14, 10, 6, 2.

25.



Draw AE ⊥ BC

$\Delta AEB \cong \Delta AEC$ (RHS congruence rule)

$\therefore \quad BE = EC = \frac{1}{2}BC = \frac{1}{2}AB$ 1

Let $AB = BC = AC = x$

Now $BE = \frac{x}{2}$ and $DE = BE - BD$

$= \frac{x}{2} - \frac{x}{3}$

$= \frac{x}{6}$ 1

Now $AB^2 = AE^2 + BE^2$ ...(1)
and $AD^2 = AE^2 + DE^2$ ...(2) } 1

From (1) and (2) $AB^2 - AD^2 = BE^2 - DE^2$

$\Rightarrow \quad x^2 - AD^2 = \left(\frac{x}{2}\right)^2 - \left(\frac{x}{6}\right)^2$

$\Rightarrow \quad AD^2 = x^2 - \frac{x^2}{4} + \frac{x^2}{36}$

$\Rightarrow \quad AD^2 = \frac{28}{36}x^2$ 1

$\Rightarrow \quad 9AD^2 = 7AB^2$

OR

Given, to Prove, Construction and Figure ½ ×4=2

Correct Proof 2

26. Correct Construction of ΔABC 2

Correct construction of similar to ΔABC. 2

27. LHS $= \dfrac{\sin A - 2\sin^3 A}{2\cos^3 A - \cos A}$

$= \dfrac{\sin A(1-2\sin^2 A)}{\cos A(2\cos^2 A - 1)}$ 1

$= \dfrac{\sin A(1-2(1-\cos^2 A))}{\cos A(2\cos^2 A - 1)}$ 1

$= \tan A \dfrac{(2\cos^2 A - 1)}{(2\cos^2 A - 1)}$ 1

$= \tan A = \text{RHS}$ 1

28. Here $r_1 = 15$ cm, $r_2 = 5$ cm and $h = 24$ cm

(i) Area of metal sheet = CSA of the bucket + area of lower end

$= \pi l(r_1 + r_2) + \pi r_2^2$ 1

where $l = \sqrt{24^2 + (15-5)^2} = 26$ cm 1

$\therefore$ Surface area of metal sheet $= 3.14(26 \times 20 + 25)$ cm^2

$= 1711.3$ cm^2 1

We should avoid use of plastic because it is non-degradable or similar value. 1

29.



Figure 1

Let AB be the tower and ships are at points C and D.

$\tan 45° = \dfrac{AB}{BC}$

$\Rightarrow \dfrac{AB}{BC} = 1$

$\Rightarrow$ AB = BC 1

Also $\tan 30° = \dfrac{1}{\sqrt{3}} = \dfrac{AB}{BC + CD}$

$\Rightarrow \dfrac{1}{\sqrt{3}} = \dfrac{AB}{AB + CD}$ 1

$\Rightarrow$ AB + CD = $\sqrt{3}$AB

$\Rightarrow$ CD = AB$(\sqrt{3} - 1)$

$= 100 \times (1.732 - 1)$ 1

$= 73.2$ m.

30.

Class	x	f	fx		
11–13	12	3	36		
13–15	14	6	84		
15–17	16	9	144		
17–19	18	13	234		
19–21	20	f	20f		
21–23	22	5	110	For x	½
23–25	24	4	96	Σf	½
		40 + f	704 + 20f	Σfx	1

$$\text{Mean} = 18 = \frac{704 + 20f}{40 + f}$$ 1

$\Rightarrow$ $720 + 18f = 704 + 20f$

$\Rightarrow$ $f = 8$ 1

OR

Cumulative frequency distribution table of less than type is

Daily income	Cumulative frequency
Less than 100	0
Less than 120	12
Less than 140	26
Less than 160	34
Less than 180	40
Less than 200	50

1½



2½