

Secondary School Examination

March 2018

Marking Scheme — Mathematics 30/1, 30/2, 30/3

General Instructions:

- The Marking Scheme provides general guidelines to reduce subjectivity in the marking. The answers
 given in the Marking Scheme are suggested answers. The content is thus indicative. If a student has
 given any other answer which is different from the one given in the Marking Scheme, but conveys the
 meaning, such answers should be given full weightage
- Evaluation is to be done as per instructions provided in the marking scheme. It should not be done
 according to one's own interpretation or any other consideration Marking Scheme should be
 strictly adhered to and religiously followed.
- Alternative methods are accepted. Proportional marks are to be awarded.
- If a candidate has attempted an extra question, marks obtained in the question attempted first should be retained and the other answer should be scored out.
- A full scale of marks 0 to 80 has to be used. Please do not hesitate to award full marks if the answer deserves it.
- Separate Marking Scheme for all the three sets has been given.
- 7. As per orders of the Hon'ble Supreme Court, the candidates would now be permitted to obtain photocopy of the Answer book on request on payment of the prescribed fee. All examiners/Head Examiners are once again reminded that they must ensure that evaluation is carried out strictly as per value points for each answer as given in the Marking Scheme.



QUESTION PAPER CODE 30/2

EXPECTED ANSWER/VALUE POINTS

SECTIONA

1.
$$\frac{\text{ar } \Delta ABC}{\text{ar } \Delta PQR} = \frac{AB^2}{PQ^2}$$

$$=\left(\frac{1}{3}\right)^2 = \frac{1}{9}$$

2. :
$$\cos 67^{\circ} = \sin 23^{\circ}$$

$$cos^2 67^\circ - sin^2 23 = 0$$

3. OP =
$$\sqrt{x^2 + y^2}$$

4. x = 3 is one root of the equation

$$\therefore 9 - 6k - 6 = 0$$

$$\Rightarrow k = \frac{1}{2}$$

The required numbers are 2 and 4.

HCF of 2 and 4 is 2.
$$\frac{1}{2}$$

6.
$$a + 6(-4) = 4$$

$$\Rightarrow$$
 a = 28

SECTION B

Total number of outcomes = 98

$$\therefore$$
 Prob (integer is divisible by 8) = $\frac{12}{98}$ or $\frac{6}{49}$

(ii) Prob (integer is not divisible by 8) =
$$1 - \frac{6}{49}$$

$$=\frac{43}{49}$$
 $\frac{1}{2}$

(13) 30/2

Total number of possible outcome	8.	Total	number	of	possible	outcomes	=	3	6
--	----	-------	--------	----	----------	----------	---	---	---

(i) Doublets are (1, 1) (2, 2) (3, 3) (4, 4) (5, 5) (6, 6)

Total number of doublets = 6
$$\frac{1}{2}$$

$$\therefore \text{ Prob (getting a doublet)} = \frac{6}{36} \text{ or } \frac{1}{6}$$

(ii) Favourable outcomes are (4, 6) (5, 5) (6, 4) i.e., 3

$$\therefore \text{ Prob (getting a sum 10)} = \frac{3}{36} \text{ or } \frac{1}{12}$$

9. Let AP : PB = k : 1

$$\therefore \frac{6k+2}{k+1} = 4$$

$$A(2,3) P(4,m)$$

 \Rightarrow k = 1, ratio is 1:1

Hence
$$m = \frac{-3+3}{2} = 0$$

10. Let us assume $5 + 3\sqrt{2}$ is a rational number.

$$\therefore 5 + 3\sqrt{2} = \frac{p}{q} \text{ where } q \neq 0 \text{ and } p \text{ and } q \text{ are integers.}$$

$$\Rightarrow \sqrt{2} = \frac{p - 5q}{3q}$$

$$\Rightarrow \sqrt{2}$$
 is a rational number as RHS is rational

This contradicts the given fact that $\sqrt{2}$ is irrational.

Hence
$$5 + 3\sqrt{2}$$
 is an irrational number.

11. AB = DC and BC = AD

$$\Rightarrow x + y = 30$$
and
$$x - y = 14$$

Solving to get
$$x = 22$$
 and $y = 8$. $\frac{1}{2} + \frac{1}{2}$

12.
$$S = 3 + 6 + 9 + 12 + ... + 24$$

$$=3(1+2+3+...+8)$$

$$=3\times\frac{8\times9}{2}$$

SECTION C

13. Let the usual speed of the plane be x km/hr.

$$\therefore \frac{1500}{x} - \frac{1500}{x + 100} = \frac{30}{60}$$

$$\Rightarrow$$
 $x^2 + 100x - 300000 = 0$

$$\Rightarrow$$
 $x^2 + 600x - 500x - 300000 = 0$


$$\Rightarrow$$
 $(x + 600)(x - 500) = 0$

$$x \neq -600$$
, $\therefore x = 500$

Speed of plane =
$$500 \text{ km/hr}$$

14.

Let the side of the square be 'a' units



$$AC^2 = a^2 + a^2 = 2a^2$$

$$\Rightarrow$$
 AC = $\sqrt{2}$ a units

Area of equilateral
$$\triangle BCF = \frac{\sqrt{3}}{4}a^2$$
 sq.u

Area of equilateral
$$\triangle ACE = \frac{\sqrt{3}}{4} (\sqrt{2} a)^2 = \frac{\sqrt{3}}{2} a^2 \text{ sq.u}$$

$$\Rightarrow$$
 Area ΔBCF = $\frac{1}{2}$ Ar ΔACE

OR

Let $\triangle ABC \sim \triangle PQR$.

$$\therefore \frac{\text{ar } \Delta ABC}{\text{ar } \Delta PQR} = \frac{AB^2}{PQ^2} = \frac{BC^2}{QR^2} = \frac{AC^2}{PR^2}$$

Given ar $\triangle ABC = ar \triangle PQR$

(15) 30/2

$$\Rightarrow \frac{AB^2}{PQ^2} = 1 = \frac{BC^2}{QR^2} = \frac{AC^2}{PR^2}$$

$$\Rightarrow$$
 AB = PQ, BC = QR, AC = PR

⇒ Therefore
$$\triangle ABC \cong \triangle PQR$$
. (sss congruence rule)

15. Correct given, To prove, Figure, Construction

 $\frac{1}{2} \times 4 = 2$

Correct proof

1

16. Total surface Area of article = CSA of cylinder + CSA of 2 hemispheres

CSA of cylinder = $2\pi rh$

$$= 2 \times \frac{22}{7} \times 3.5 \times 10$$

$$= 220 \text{ cm}^2$$

Surface Area of two hemispherical scoops = $4 \times \frac{22}{7} \times 3.5 \times 3.5$

$$= 154 \text{ cm}^2$$

Total surface Area of article = 220 + 154

$$= 374 \text{ cm}^2$$

OR

Radius of conical heap = 12 m

1/2

Volume of rice =
$$\frac{1}{3} \times \frac{22}{7} \times 12 \times 12 \times 3.5 \text{ m}^3$$

$$= 528 \text{ m}^3$$

Area of canvas cloth required = πrl

$$l = \sqrt{12^2 + (3.5)^2} = 12.5 \text{ m}$$

∴ Area of canvas required =
$$\frac{22}{7} \times 12 \times 12.5$$

= 471.4 m²

cf

49

182

245

260

266

273

277

279

280

		30/2	
17.	Salary (in thousand Rs)	No. of persons (f)	
	5–10	49	
	10–15	133	
	15-20	63	
	20–25	15	
	25-30	6	
	30–35	7	
	35-40	4	
	40-45	2	
	45-50	1	

$$\frac{N}{2} = \frac{280}{2} = 140$$

Median class is 10-15

Median =
$$l + \frac{h}{f} \left(\frac{N}{2} - C \right)$$

= $10 + \frac{5}{133} (140 - 49)$
= $10 + \frac{5 \times 91}{133}$
= 13.42

Median salary is Rs 13.42 thousand or Rs 13420 (approx)

18. $4 \tan \theta = 3$

$$\Rightarrow \tan \theta = \frac{3}{4}$$

$$\Rightarrow \sin \theta = \frac{3}{5} \text{ and } \cos \theta = \frac{4}{5}$$

$$\therefore \frac{4 \sin \theta - \cos \theta + 1}{4 \sin \theta + \cos \theta - 1} = \frac{4 \times \frac{3}{5} - \frac{4}{5} + 1}{4 \times \frac{3}{5} + \frac{4}{5} - 1}$$

$$\frac{4\sin\theta - \cos\theta + 1}{4\sin\theta + \cos\theta - 1} = \frac{3}{4 \times \frac{3}{5} + \frac{4}{5} - 1}$$

$$= \frac{13}{4 \times \frac{3}{5} + \frac{4}{5} - 1}$$

(17) 30/2

$$\tan 2A = \cot (A - 18^{\circ})$$

$$\Rightarrow 90^{\circ} - 2A = A - 18^{\circ}$$

$$\Rightarrow$$
 3A = 108°

$$\Rightarrow$$
 A = 36°

19. Radius of each arc drawn = 6 cm
$$\frac{1}{2}$$

Area of one quadrant = $(3.14) \times \frac{36}{4}$

Area of four quadrants =
$$3.14 \times 36 = 113.04 \text{ cm}^2$$

Area of square ABCD =
$$12 \times 12 = 144 \text{ cm}^2$$

Hence Area of shaded region = 144 - 113.04


$$= 30.96 \text{ cm}^2$$


20.

A (-2,1)

ABCD is a parallelogram

: diagonals AC and BD bisect each other





$$\Rightarrow \left(\frac{a+1}{2}, \frac{2}{2}\right) = \left(\frac{-2+4}{2}, \frac{b+1}{2}\right)$$

1/2


1

$$\Rightarrow \frac{a+1}{2} = 1$$
 and $\frac{b+1}{2} = 1$

$$\Rightarrow$$
 a = 1, b = 1. Therefore length of sides are $\sqrt{10}$ units each. $\frac{1}{2}+1$

OR





Area of
$$\triangle ABD = \frac{1}{2} | (-5)(-5-5) + (-4)(5-7) + (4)(7+5) |$$

= 53 sq units

Area of
$$\triangle BCD = \frac{1}{2} | (-4)(-6-5) + (-1)(5+5) + 4(-5+6) |$$

= 19 sq units

Hence area of quad. ABCD =
$$53 + 19 = 72$$
 sq units $\frac{1}{2}$

-

21. $404 = 2 \times 2 \times 101 = 2^2 \times 101$

$$96 = 2 \times 2 \times 2 \times 2 \times 2 \times 3 = 2^5 \times 3$$

$$\therefore$$
 HCF of 404 and 96 = $2^2 = 4$

LCM of 404 and
$$96 = 101 \times 2^5 \times 3 = 9696$$

1

1

1

2

2

1/2

$$HCF \times LCM = 4 \times 9696 = 38784$$

Also
$$404 \times 96 = 38784$$

Hence HCF
$$\times$$
 LCM = Product of 404 and 96.

22.
$$p(x) = 2x^4 - 9x^3 + 5x^2 + 3x - 1$$

$$2+\sqrt{3}$$
 and $2-\sqrt{3}$ are zeroes of p(x)

$$p(x) = (x - 2 - \sqrt{3}) (x - 2 + \sqrt{3}) \times g(x)$$

$$= (x^2 - 4x + 1) g(x)$$

$$(2x^4 - 9x^3 + 5x^2 + 3x - 1) \div (x^2 - 4x + 1) = 2x^2 - x - 1$$

$$g(x) = 2x^2 - x - 1$$

$$= (2x + 1)(x - 1)$$

Therefore other zeroes are $x = -\frac{1}{2}$ and x = 1

$$\therefore$$
 Therefore all zeroes are $2+\sqrt{3}$, $2-\sqrt{3}$, $-\frac{1}{2}$ and 1

SECTION D

23. Correct Construction of ΔABC

Correct construction of similar to AABC.

24. Let the four consecutive terms of the A.P. be

$$a - 3d$$
, $a - d$, $a + d$, $a + 3d$.

By given conditions

$$(a-3d) + (a-d) + (a+d) + (a+3d) = 32$$

$$\Rightarrow$$
 4a = 32

$$\Rightarrow$$
 a = 8

and
$$\frac{(a-3d)(a+3d)}{(a-d)(a+d)} = \frac{7}{15}$$

(19) 30/2

$$\Rightarrow$$
 8a² = 128d²


$$\Rightarrow$$
 $d^2 = 4$

1/2

1

:. Numbers are 2, 6, 10, 14 or 14, 10, 6, 2.

25.



Draw AE ⊥ BC

 $\Delta AEB \cong \Delta AEC$ (RHS congruence rule)

$$\therefore BE = EC = \frac{1}{2}BC = \frac{1}{2}AB$$

1

Let
$$AB = BC = AC = x$$

Now BE = $\frac{x}{2}$ and DE = BE – BD

$$=\frac{x}{2}-\frac{x}{3}$$

$$=\frac{x}{6}$$

1

1

Now
$$AB^2 = AE^2 + BE^2$$

and $AD^2 = AE^2 + DE^2$

From (1) and (2) $AB^2 - AD^2 = BE^2 - DE^2$

$$\Rightarrow x^2 - AD^2 = \left(\frac{x}{2}\right)^2 - \left(\frac{x}{6}\right)^2$$

$$\Rightarrow$$
 AD² = $x^2 - \frac{x^2}{4} + \frac{x^2}{36}$

$$\Rightarrow AD^2 = \frac{28}{36}x^2$$

1

$$\Rightarrow$$
 9AD² = 7AB²

Given, to Prove, Construction and Figure $\frac{1}{2} \times 4=2$ Correct Proof

26. Let the speed of stream be x km/hr.

.. The speed of the boat upstream = (18 - x) km/hrand Speed of the boat downstream = (18 + x) km/hr

As given in the question,

$$\frac{24}{18-x} - \frac{24}{18+x} = 1$$

$$\Rightarrow x^2 + 48x - 324 = 0$$

$$\Rightarrow (x + 54)(x - 6) = 0$$

$$x \neq -54, \quad \therefore x = 6$$

$$\therefore \text{ Speed of the stream} = 6 \text{ km/hr.}$$

OR

Let the original average speed of train be x km/hr.

a coli

Therefore
$$\frac{63}{x} + \frac{72}{x+6} = 3$$

$$\Rightarrow x^2 - 39x - 126 = 0$$

$$\Rightarrow (x-42)(x+3) = 0$$


$$x \neq -3 \quad \therefore x = 42$$

1

Let AB be the tower and ships are at points C and D.

1

1



$$\tan 45^{\circ} = \frac{AB}{BC}$$

$$\Rightarrow \frac{AB}{BC} = 1$$

Also tan 30° =
$$\frac{1}{\sqrt{3}} = \frac{AB}{BC + CD}$$

$$\Rightarrow \frac{1}{\sqrt{3}} = \frac{AB}{AB + CD}$$

$$\Rightarrow$$
 AB + CD = $\sqrt{3}$ AB

⇒ CD = AB(
$$\sqrt{3}$$
 -1)
= 100 × (1.732 - 1)
= 73.2 m.

- **28.** Here $r_1 = 15$ cm, $r_2 = 5$ cm and h = 24 cm
 - Area of metal sheet = CSA of the bucket + area of lower end

$$= \pi l(\mathbf{r}_1 + \mathbf{r}_2) + \pi \mathbf{r}_2^2$$

where
$$l = \sqrt{24^2 + (15 - 5)^2} = 26 \text{ cm}$$

:. Surface area of metal sheet = $3.14(26 \times 20 + 25)$ cm²

$$= 1711.3 \text{ cm}^2$$

We should avoid use of plastic because it is non-degradable or similar value.

29.	Class	x	f	fx		
	11-13	12	3	36		
	13-15	14	6	84		
	15-17	16	9	144		
	17–19	18	13	234		
	19–21	20	f	20f		
	21–23	22	5	110	For x	1/2
	23–25	24	4	96	Σf	1/2
			40 +f	704 + 20f	Σfx	1
			,	22) 30/2		

$$Mean = 18 = \frac{704 + 20f}{40 + f}$$


$$\Rightarrow$$
 720 + 18f = 704 + 20f

$$\Rightarrow$$
 f = 8

OR

Cumulative frequency distribution table of less than type is

Daily income	Cumulative frequency	
Less than 100	0	
Less than 120	12	
Less than 140	26	
Less than 160	34	
Less than 180	40	
Less than 200	50	1 1/2



30. LHS =
$$\frac{\sin A - 2\sin^3 A}{2\cos^3 A - \cos A}$$

= $\frac{\sin A(1 - 2\sin^2 A)}{\cos A(2\cos^2 A - 1)}$
= $\frac{\sin A(1 - 2(1 - \cos^2 A))}{\cos A(2\cos^2 A - 1)}$
= $\tan A \frac{(2\cos^2 A - 1)}{(2\cos^2 A - 1)}$
= $\tan A = RHS$

· do