




MARKING SCHEME SQP
MATHEMATICS (STANDARD)
2020-21
CLASS X

S.NO.	ANSWER	MARKS
	Part-A	
1.	(LCM)(3) =180 LCM=60 OR Four decimal places	1/2 1/2 1
2.	$\alpha + \beta = k/3$ $3 = k/3$ $K = 9$	1/2 1/2
3.	$\frac{3}{6} = \frac{1}{k} = \frac{3}{8}$ $\frac{3}{6} = \frac{1}{k}$ $K = 2$	1/2 1/2
4.	Let the cost of 1 chair = Rs. x And the cost of 1 table = Rs. y $3x + y = 1500$ $6x + y = 2400$	1/2 1/2
5.	$a_n = a + (n-1)d$ $0 = 27 + (n-1)(-3)$ $30 = 3n$ $n = 10$ 10^{th} OR $a_n = a + (n-1)d$ $4 = a + 6(-4)$ $a = -28$	1/2 1/2 1/2 1/2
6.	$9x^2 + 6kx + 4 = 0$ $(6k)^2 - 4 \times 9 \times 4 = 0$ $36k^2 = 144$ $K^2 = 4$ $K = \pm 2$	1/2 1/2


7.	$x^2+7x+10=0$ $x^2+5x+2x+10=0$ $(x+5)(x+2)=0$ $X=-5, x= - 2$ <p style="text-align: center;">OR</p> $3ax^2-6x+1=0$ $(-6)^2-4(3a) (1)<0$ $12a>36 \Rightarrow a>3$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
8.	$PQ=PT$ $PL+LQ=PM+MT$ $PL+LN=PM+MN$ Perimeter(ΔPLM) $=PL+LM+PM$ $=PL+LN+MN+PM$ $=2(PL+LN)$ $=2(PL+LQ)$ $=2 \times 28=56\text{cm}$	$\frac{1}{2}$ $\frac{1}{2}$
9.	 <p>In ΔPAO $\tan 30^\circ = AO/PA$ $1/\sqrt{3} = 3/PA$ $PA = 3\sqrt{3} \text{ cm}$</p> <p style="text-align: center;">OR</p>  <p>In ΔOPQ $\angle P + \angle Q + \angle O = 180^\circ$ $2\angle Q + \angle P = 180^\circ$ $2\angle Q + 90^\circ = 180^\circ$ $2\angle Q = 90^\circ$ $\angle Q = 45^\circ$</p>	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$


10.	$\frac{AD}{BD} = \frac{AE}{CE}$ $\frac{3}{4.5} = \frac{2}{CE}$ CE=3cm	$\frac{1}{2}$ $\frac{1}{2}$
11.	8:5	1
12.	$\sin 30^\circ + \cos B = 1$ $\frac{1}{2} + \cos B = 1$ $\cos B = 1/2$ $B = 60^\circ$	$\frac{1}{2}$ $\frac{1}{2}$
13.	$x+y$ $= 2\sin^2\theta + 2\cos^2\theta + 1$ $= 2(\sin^2\theta + \cos^2\theta) + 1$ $= 3$	$\frac{1}{2}$ $\frac{1}{2}$
14.	length of arc = $\frac{\theta}{360^\circ} (2\pi r)$ $= \frac{60}{360} (2 \times 22/7 \times 21)$ $= 22 \text{ cm}$	$\frac{1}{2}$ $\frac{1}{2}$
15.	$\pi R^2 H = 12 \times 4/3 \pi r^3$ $1 \times 1 \times 16 = 4/3 \pi r^3 \times 12$ $r^3 = 1$ $r = 1$ $d = 2 \text{ cm}$	$\frac{1}{2}$ $\frac{1}{2}$
16.	probability of getting a doublet = $1/6$ OR probability of getting a black queen = $2/52 = 1/26$	1
17.	(a) iii) (15/2, 33/2) (b) i) 4 (c) iii) 16 (d) iv) (2.0, 8.5) (e) ii) $x - 13 = 0$	1x4=4
18.	(a) iii) 15 cm (b) iv) They are not the mirror image of one another (c) ii) Their altitudes have a ratio a:b (d) iv) 5m (e) iii) 6m	1x4=4
19.	(a) ii) (4, -2) (b) i) Intersects x-axis (c) iii) parabola	1x4=4


	(d) ii) $x^2 - 36$	
	(e) iii) 0	
20.	(a) iii) 43	1x4=4
	(b) iii) 60	
	(c) ii) Median	
	(d) iii) 80	
	(e) iii) 31	


Part-B		
21.	$4=2X2$ $7=7X1$ $14=2X7$ $LCM=2X2X7=28$ The three bells will ring together again at 6:28 am	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
22.	Let P(x,0) be a point on X-axis $PA=PB$ $PA^2=PB^2$ $(x-2)^2+(0+2)^2=(x+4)^2+(0-2)^2$ $X^2+4-4x+4=x^2+16+8x+4$ $-4x+4=8x+16$ $X=-1$ $P(-1,0)$ OR $PR:QR=2:1$ $R\left(\frac{1(-2)+2(3)}{2+1}, \frac{1(5)+2(2)}{2+1}\right)$ $R(4/3, 3)$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ 1 $\frac{1}{2}$
23.	Sum of zeroes= $5-3\sqrt{2}+5+3\sqrt{2}=10$ Product of zeroes= $(5-3\sqrt{2})(5+3\sqrt{2})=7$ $P(x)= X^2-10x+7$	$\frac{1}{2}$ 1 $\frac{1}{2}$
24.		Line seg=1/2 Circles=1 /2 Tangents =1/2+ $\frac{1}{2}$

25.	$\tan A = 3/4 = 3k/4k$ $\sin A = 3k/5k = 3/5, \cos A = 4k/5k = 4/5$ $1/\sin A + 1/\cos A$ $= 5/3 + 5/4$ $= (20+15)/12$ $= 35/12$ <p style="text-align: center;">OR</p> $\sqrt{3} \sin \theta = \cos \theta$ $\sin \theta / \cos \theta = 1/\sqrt{3}$ $\tan \theta = 1/\sqrt{3}$ $\theta = 30^\circ$	$1/2$ $1/2$ $1/2$ $1/2$ $1/2$ $1/2$ $1/2$ $1/2$
26.	$\angle A = \angle OPA = \angle OSA = 90^\circ$ Hence, $\angle SOP = 90^\circ$ Also, $AP = AS$ Hence, $OSAP$ is a square $AP = AS = 10\text{cm}$ $CR = CQ = 27\text{cm}$ $BQ = BC - CQ = 38 - 27 = 11\text{cm}$ $BP = BQ = 11\text{cm}$ $X = AB = AP + BP = 10 + 11 = 21\text{cm}$	$1/2$ $1/2$ $1/2$ $1/2$
27.	Let $2 - \sqrt{3}$ be a rational number We can find co-prime a and b ($b \neq 0$) such that $2 - \sqrt{3} = a/b$ $2 - a/b = \sqrt{3}$ So we get, $(2a - b)/b = \sqrt{3}$ Since a and b are integers, we get $(2a - b)/b$ is irrational and so $\sqrt{3}$ is rational. But $\sqrt{3}$ is an irrational number Which contradicts our statement Therefore $2 - \sqrt{3}$ is irrational	$1/2$ $1/2$ $1/2$ $1/2$ $1/2$ $1/2$
28.	$3x^2 + px + 4 = 0$ $3(2/3)^2 + p(2/3) + 4 = 0$ $4/3 + 2p/3 + 4 = 0$ $P = -8$ $3x^2 - 8x + 4 = 0$ $3x^2 - 6x - 2x + 4 = 0$ $X = 2/3$ or $x = 2$ Hence, $x = 2$	$1/2$ $1/2$ $1/2$ $1/2$ $1/2$ $1/2$

	OR	
	$\alpha + \beta = 5$ ----(1) $\alpha - \beta = 1$ ----(2) Solving (1) and (2), we get $\alpha = 3$ and $\beta = 2$ also $\alpha\beta = 6$ or $3(k-1) = 6$ $k-1 = 2$ $k = 3$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
29.	Area of 1 segment = area of sector – area of triangle $= (90^\circ/360^\circ)\pi r^2 - \frac{1}{2} \times 7 \times 7$ $= \frac{1}{4} \times 22/7 \times 7^2 - \frac{1}{2} \times 7 \times 7$ $= 14\text{cm}^2$ Area of 8 segments = $8 \times 14 = 112\text{ cm}^2$ Area of the shaded region = $14 \times 14 - 112$ $= 196 - 112 = 84\text{cm}^2$ <i>(each petal is divided into 2 segments)</i>	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
30.	$\triangle ABC \sim \triangle DEF$ $\frac{\text{Perimeter } (\triangle ABC)}{\text{Perimeter } (\triangle DEF)} = \frac{AB+BC+CA}{DE+EF+FD} = \frac{AB}{DE}$ $\frac{25}{15} = \frac{9}{X}$ $X = 5.4\text{cm}$ $DE = 5.4\text{cm}$ <p style="text-align: center;">OR</p>  <p>Construction-Draw $AM \perp BC$ $BD = \frac{1}{3} BC$, $BM = \frac{1}{2} BC$ In $\triangle ABM$, $AB^2 = AM^2 + BM^2$ $= AM^2 + (BD + DM)^2$ $= AM^2 + DM^2 + BD^2 + 2BD \cdot DM$ $= AD^2 + BD^2 + 2BD(BM - BD)$ $= AD^2 + (BC/3)^2 + 2 \cdot BC/3 \cdot (BC/2 - BC/3)$ $= AD^2 + 2BC^2/9$ $= AD^2 + 2AB^2/9$ Hence, $7AB^2 = 9AD^2$</p>	1 $\frac{1}{2}$ $\frac{1}{2}$ 1 $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$

31.	Class	Frequency	Cumulative frequency	1
	0-5	12	12	
	5-10	a	12+a	
	10-15	12	24+a	
	15-20	15	39+a	
	20-25	b	39+a+b	
	25-30	6	45+a+b	
	30-35	6	51+a+b	
	35-40	4	55+a+b	
	Total	70		
	55+a+b=70 a+b=15			1/2
	$\text{median} = l + \frac{\frac{N}{2} - cf}{f} \times h$ $16 = 15 + \frac{35 - 24 - a}{15} \times 5$ $1 = (11 - a)/3$ $A = 8$			1/2
	55+a+b=70 55+8+b=70 B=7			1/2 1/2
32.				1/2
	Let AB=candle C and D are coins $\tan 60^\circ = AB/BC = h/b$ $\sqrt{3} = h/b$ $H = b\sqrt{3}$ -----(1)			1/2
	$\tan 30^\circ = AB/BD = h/a$ $1/\sqrt{3} = h/a$ $H = a/\sqrt{3}$ -----(2)			1/2
	Multiplying (1) and (2), we get $H^2 = b\sqrt{3} \times a/\sqrt{3}$			1/2
	$H^2 = b a$ $H = \sqrt{ab}$ m			1/2

<p>33.</p>	$\text{Mode} = l + \frac{f_1 - f_0}{2f_1 - f_2 - f_0} \times h$ $67 = 60 + \frac{15 - x}{30 - 12 - x} \times 10$ $7 = \frac{15 - x}{18 - x} \times 10$ $7x(18 - x) = 10(15 - x)$ $126 - 7x = 150 - 10x$ $3x = 150 - 126$ $3x = 24$ $X = 8$	<p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>
<p>34.</p>	 <p>Let BD=river AB=CD=palm trees=h BO=x OD=80-x In $\triangle ABO$, $\tan 60^\circ = h/x$ $\sqrt{3} = h/x$ ----- (1) $H = \sqrt{3}x$ In $\triangle CDO$, $\tan 30^\circ = h/(80-x)$ $1/\sqrt{3} = h/(80-x)$ ----- (2) Solving (1) and (2), we get $X = 20$ $H = \sqrt{3}x = 34.6$ the height of the trees=h=34.6m BO=x=20m DO=80-x=80-20=60m</p>	<p>1</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>

OR		
	1	
Let AB=Building of height 50m		
RT= tower of height= h m		1/2
BT=AS=x m		
AB=ST=50 m		1/2
RS=TR-TS=(h-50)m		
In $\triangle ARS$, $\tan 30^\circ = RS/AS$		
$\frac{1}{\sqrt{3}} = \frac{(h-50)}{x}$ -----(1)		
In $\triangle RBT$, $\tan 60^\circ = RT/BT$		1/2
$\sqrt{3} = \frac{h}{x}$ -----(2)		
Solving (1) and (2), we get		1/2
h= 75		1/2
from (2)		1/2
x=h/ $\sqrt{3}$		
=75/ $\sqrt{3}$		1/2
=25 $\sqrt{3}$		
Hence, height of the tower=h=75m		
Distance between the building and the tower=25 $\sqrt{3}$ =43.25m		1/2
35.	<p>For pipe , r = 1cm</p> <p>Length of water flowing in 1 sec, h=0.7m=7cm</p> <p>Cylindrical Tank,R=40 cm , rise in water level=H</p> <p>Volume of water flowing in 1 sec= $\pi r^2 h = \pi \times 1 \times 1 \times 70$ =70π</p> <p>Volume of water flowing in 60 sec=70$\pi \times 60$</p> <p>Volume of water flowing in 30 minutes=70$\pi \times 60 \times 30$</p> <p>Volume of water in Tank=$\pi r^2 H = \pi \times 40 \times 40 \times H$</p> <p>Volume of water in Tank= Volume of water flowing in 30 minutes</p> <p style="text-align: center;">$\pi \times 40 \times 40 \times H = 70\pi \times 60 \times 30$ H=78.75cm</p>	<p>1/2</p> <p>1/2</p> <p>1/2</p> <p>1/2</p> <p>1</p> <p>1/2</p> <p>1/2</p> <p>1/2</p> <p>1/2</p>

<p>36.</p>	<p>Let speed of the boat in still water =x km/hr, and Speed of the current =y km/hr Downstream speed =(x+y) km/hr Upstream speed =(x-y) km/hr $\frac{24}{x+y} + \frac{16}{x-y} = 6$-----(1)</p> <p>$\frac{36}{x+y} + \frac{12}{x-y} = 6$-----(2)</p> <p>Let $\frac{1}{x+y} = u$ and $\frac{1}{x-y} = v$</p> <p>Put in the above equation we get, 24u+16v=6 Or, 12u+8v=3 ... (3) 36u+12v=6 Or, 6u+2v=1 ... (4) Multiplying (4) by 4, we get, 24u+8v=4v ... (5) Subtracting (3) by (5), we get, 12u=1 $\Rightarrow u=1/12$ Putting the value of u in (4), we get, v=1/4 $\Rightarrow \frac{1}{x+y} = \frac{1}{12}$ and $\frac{1}{x-y} = \frac{1}{4}$ $\Rightarrow x+y=12$ and $x-y=4$ Thus, speed of the boat in still water = 8 km/hr, Speed of the current = 4 km/hr</p>	<p>1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2</p>
-------------------	---	---