


MATHEMATICS STANDARD – Code No.041
MARKING SCHEME
CLASS – X (2025-26)

Maximum Marks: 80


Time: 3 hours


Q.No.	Section A	Marks
1.	(C) 3 $LCM(a, b, c) = 2^2 \times 3^x \times 5 \times 7 = 3780$ $140 \times 3^x = 3780$ $3^x = 27 = 3^3$ $x = 3$	1
2.	(A) 2 As shortest distance from (2, 3) to y-axis is the x coordinate, i.e., 2.	1
3.	(B) $k \neq \frac{15}{4}$ $\frac{3}{2} \neq \frac{2k}{5}$, hence $k \neq \frac{15}{4}$	1
4.	(C) 6cm $AB+CD=AD+BC$ $AB+4=3+7$ $AB=6\text{cm}$	1
5.	(D) $\frac{1}{x}$ $\frac{1}{\sec\theta+\tan\theta} = \frac{(\sec\theta-\tan\theta)}{(\sec\theta+\tan\theta)(\sec\theta-\tan\theta)} = \frac{(\sec\theta-\tan\theta)}{1} = \sec\theta-\tan\theta$	1
6.	(D) $(x+2)(x+1) = x^2+2x+3$, so, $x^2+3x+2 = x^2+2x+3$ gives $x-1=0$ It's not a quadratic equation.	1
7.	D) $8\left[\frac{\pi}{6} - \frac{\sqrt{3}}{4}\right] \text{ cm}^2$  Required Area = $8 \times$ area of one segment (with $r = 1\text{cm}$ and $\theta = 60^\circ$) $= 8 \times \left(\frac{60^\circ}{360^\circ} \times \pi \times 1^2 - \frac{\sqrt{3}}{4} \times 1^2 \right)$ $= 8\left[\frac{\pi}{6} - \frac{\sqrt{3}}{4}\right] \text{ cm}^2$	1

	<p>For Visually Impaired candidates:</p> <p>(D) $9\pi\text{cm}^2$ area of circle = $\pi(3^2)$ $=9\pi\text{cm}^2$</p>	
8.	<p>(B) $\frac{31}{36}$</p> <p>Probability of getting sum 8 is $\frac{5}{36}$ Probability of not getting sum 8 is $\frac{31}{36}$</p>	1
9.	<p>(B) 12°</p> <p>$\sin 5x = \frac{\sqrt{3}}{2}$ So, $5x = 60^\circ$ And hence $x = 12^\circ$</p>	1
10.	<p>(C) 4</p> <p>Since HCF=81, the numbers can be $81x$ and $81y$ $81x + 81y = 1215$ $x + y = 15$ which gives four pairs as $(1, 14), (2, 13), (4, 11), (7, 8)$</p>	1
11.	<p>(D) 5cm</p> <p>$\pi r^2 = 51$ $V = \frac{1}{3} \times \pi r^2 \times h$ $85 = \frac{1}{3} \times 51 \times h$ $h = \frac{85}{17} = 5\text{cm}$</p>	1
12.	<p>(D)</p> <p>As for equal roots to the corresponding equation, $b^2 = 4ac$ Hence $ac = \frac{b^2}{4}$ And hence $ac > 0 \Rightarrow c$ and a must have same signs</p>	1
13.	<p>(C) 231</p> <p>Area of sector $= \frac{1}{2} \times l \times r$ $= \frac{1}{2} \times 22 \times 21 = 231\text{cm}^2$</p>	1

<p>14.</p>	<p>(C) 18cm</p> <p>$\Delta ABC \sim \Delta DEF$</p> <p>$\frac{AB}{DE} = \frac{BC}{EF} = \frac{AC}{DF} = \frac{\text{Perimeter of } \Delta ABC}{\text{Perimeter of } \Delta DEF}$</p> <p>$\frac{6}{9} = \frac{\text{Perimeter of } \Delta ABC}{27}$</p> <p>Perimeter of $\Delta ABC = 18\text{cm}$</p>	<p>1</p>
<p>15.</p>	<p>(B) $\frac{9}{4}$</p> <p>Probability of getting vowels in the word Mathematics is $\frac{4}{11}$,</p> <p>So, $\frac{2}{2x+1} = \frac{4}{11}$</p> <p>$\Rightarrow x = \frac{9}{4}$</p>	<p>1</p>
<p>16.</p>	<p>(C) Parallelogram</p> <p>By visualising the figure by plotting points in co-ordinate plane it can be concluded it is a Parallelogram.</p>	<p>1</p>
<p>17.</p>	<p>(A) median is increased by 2</p>	<p>1</p>
<p>18.</p>	<div style="text-align: center;">  </div> <p>Since, tangent is perpendicular to the radius at the point of contact In ΔOPT, right angled at T $OP^2 = OT^2 + TP^2$ $41^2 = 9^2 + TP^2$ $TP^2 = 1681 - 81 = 1600$ $TP = 40\text{cm}$</p>	<p>1</p>
<p>19.</p>	<p>(A) Both assertion (A) and reason (R) are true and reason (R) is the correct explanation of assertion (A)</p>	<p>1</p>
<p>20.</p>	<p>(A)</p> <p>$\cos A + \cos^2 A = 1$ -----(i)</p> <p>gives $\cos A = \sin^2 A$ -----(ii) (using $\sin^2 A + \cos^2 A = 1$)</p> <p>Substituting value of $\cos A$ from (ii) in (i)</p> <p>$\sin^2 A + \sin^4 A = 1$</p> <p>\therefore Both assertion (A) and reason (R) are true and reason (R) is the correct explanation of assertion (A)</p>	<p>1</p>


(Section – B)

<p>21. (A)</p>	<p>$n = 60, a = 8$ and $d = 2$ $t_{60} = 8 + 59(2) = 126$ $t_{51} = 108$ Hence $t_{51} + t_{52} + \dots + t_{60} = \frac{10}{2}(108 + 126) = 1170$</p> <p style="text-align: center;">OR</p> <p>(B) $230 = 6 + (n - 1)7$ gives $n = 33$ \therefore Middle Term $= t_{17} = 6 + (16)(7) = 118$</p>	<p>$\frac{1}{2}$ $\frac{1}{2}$ 1</p> <p>1 1</p>
<p>22.</p>	<p>$A + B = 90^\circ$ and $A - B = 30^\circ$ $A = 60^\circ$ and $B = 30^\circ$</p>	<p>1 1</p>
<p>23.</p>	<div style="text-align: center;"></div> <p>$\triangle ABC \sim \triangle DEF$</p> $\Rightarrow \frac{AB}{DE} = \frac{BC}{EF}$ <p>$\frac{AB}{DE} = \frac{2B}{2EQ}$ (AP and DQ are the medians)</p> $\frac{AB}{DE} = \frac{BP}{EQ}$ <p>In $\triangle ABP$ and $\triangle DEQ$</p> $\frac{AB}{DE} = \frac{BP}{EQ}$ <p>$\angle B = \angle E$ ($\triangle ABC \sim \triangle DEF$)</p> $\Rightarrow \triangle ABP \sim \triangle DEQ$ <p>Hence, $\frac{AB}{DE} = \frac{AP}{DQ}$</p>	<p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>
<p>24.(A)</p>	<p>area of grass field that can be grazed by them</p> $= \frac{\theta_1}{360^\circ} \times \pi r^2 + \frac{\theta_2}{360^\circ} \times \pi r^2 + \frac{\theta_3}{360^\circ} \times \pi r^2$ $= \frac{\pi r^2}{360^\circ} (\theta_1 + \theta_2 + \theta_3)$ $= \frac{\pi r^2}{360^\circ} \times 180^\circ$ $= \frac{22}{7} \times \frac{14 \times 14}{2}$ $= 308 \text{ m}^2$	<p>1</p> <p>1</p>

<p>(B)</p>	<p style="text-align: center;">OR</p> <p>Area of minor segment = Area of sector – area of triangle</p> $= \frac{90^\circ}{360^\circ} \pi r^2 - \frac{1}{2} \times r^2$ $= \left(\frac{25}{4} \pi - \frac{25}{2} \right) \text{ cm}^2$ <p>Area of major segment = Area of circle – Area of minor segment</p> $= \pi 5^2 - \left(\frac{25}{4} \pi - \frac{25}{2} \right)$ $= 25\pi - \frac{25}{4} \pi + \frac{25}{2}$ $= \left(\frac{75}{4} \pi + \frac{25}{2} \right) \text{ cm}^2$	<p style="text-align: center;">1</p> <p style="text-align: center;">1</p>
<p>25.</p>	<div style="text-align: center;">  </div> <p>Let r be the radius of the inscribed circle</p> $\left. \begin{array}{l} BD=BE=10\text{cm} \\ CD=CF=8\text{cm} \\ \text{Let } AF=AE=x \end{array} \right\}$ <p> $\text{ar}(\triangle ABC) = \text{ar}(\triangle AOC) + \text{ar}(\triangle BOC) + \text{ar}(\triangle AOB)$ $= \frac{1}{2} \times r \times AC + \frac{1}{2} \times r \times BC + \frac{1}{2} \times r \times AB$ $90 = \frac{1}{2} \times 4 (x + 8 + 18 + x + 10)$ $x = 4.5\text{cm}$ $\therefore AB = 4.5 + 10 = 14.5\text{cm}$ $AC = 4.5 + 8 = 12.5\text{cm}$ </p> <p>For Visually Impaired candidates:</p> <p> $AC^2 = AB^2 + BC^2 = 24^2 + 7^2 = 625$ $AC = 25\text{cm}$ Area of $\triangle ABC = \frac{1}{2} \times 7 \times 24 = 84\text{cm}^2$ -----(i) Let r = radius of circle Also, Area of $\triangle ABC = \frac{1}{2} (24r + 25r + 7r)$ $= \frac{1}{2} \times 56r$ -----(ii) </p> <p>From (i) and (ii), we get $r = 3\text{cm}$</p>	<p style="text-align: center;">1/2</p>

(Section – C)


26.



In $\triangle APO$ and $\triangle ACO$
 $AP=AC$ (Tangents from External Point)
 $AO=AO$ (common)
 $OP=OC$ (radii)
 $\triangle APO \cong \triangle ACO$
 $\angle POQ=180^\circ$ (PQ is the diameter)
 $\angle POA+\angle COA+\angle QOB+\angle COB=180^\circ$
 $2\angle COA+2\angle COB=180^\circ$
 $\angle AOB = 90^\circ$

1
1
1

For Visually Impaired candidates:



$PA=PB$ (Tangents from external point to a circle)
 $\angle PAB=\angle PBA=x$ (angles opposite to equal sides)
 In $\triangle PAB$, $\angle PAB+\angle PBA+\angle APB=180^\circ$
 $x+x+\angle APB=180^\circ$

$\angle APB=180^\circ-2x$ -----(i)

Also,

$\angle PAB+\angle OAB=90^\circ$ (radius is perpendicular to the tangent at the point of contact)

$x+\angle OAB=90^\circ$

$x=90^\circ-\angle OAB$ -----(ii)

Substituting (ii) in (i), we get

$\angle APB=180^\circ-2(90^\circ-\angle OAB)$

$\angle APB=2\angle OAB$

$\frac{1}{2}$
1
1
 $\frac{1}{2}$

27.

HCF (36,60,84) =12

Required number of rooms= $\frac{36}{12}+\frac{60}{12}+\frac{84}{12}$
 $=3+5+7$
 $=15$

$1\frac{1}{2}$
1
 $\frac{1}{2}$

28.

$2x^2 - (1+2\sqrt{2})x + \sqrt{2}$

$= 2x^2 - x - 2\sqrt{2}x + \sqrt{2}$

$= (2x - 1)(x - \sqrt{2})$ Hence the zeroes are $\frac{1}{2}$ and $\sqrt{2}$.


Now $\frac{-b}{a} = \frac{2\sqrt{2}+1}{2} = \sqrt{2} + \frac{1}{2}$ and $\frac{c}{a} = \frac{\sqrt{2}}{2} = \frac{1}{2} \times \sqrt{2}$

1
1
1

<p>29.</p>	<p>$\sin\theta + \cos\theta = \sqrt{3}$ gives $(\sin\theta + \cos\theta)^2 = 3$. Hence $1 + 2\sin\theta\cos\theta = 3$ So $2\sin\theta\cos\theta = 2$ $\Rightarrow \sin\theta \cos\theta = 1$</p> <p>$\therefore \tan\theta + \cot\theta = \frac{1}{\sin\theta\cos\theta} = 1$</p> <p style="text-align: center;">OR</p> $\frac{\cos A - \sin A}{\cos A + \sin A} = \frac{(\cos A - \sin A)(\cos A + \sin A + 1)}{(\cos A + \sin A - 1)(\cos A + \sin A + 1)}$ $= \frac{\cos^2 A + 2\cos A + 1 - \sin^2 A}{2\sin A \cos A}$ $= \frac{2\cos A(1 + \cos A)}{2\sin A \cos A} = \frac{1 + \cos A}{\sin A} = \operatorname{cosec} A + \cot A$	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>
<p>30.</p>	<p>$P(\text{Vidhi drives the car}) = \frac{3}{8}$ as favourable outcomes are HHT, THH, HHH $P(\text{Unnati drives the car}) = \frac{4}{8}$ as favourable outcomes are THT, THH, HTH, TTH As $\frac{4}{8} > \frac{3}{8}$ Unnati has greater probability to drive the car</p>	<p>1</p> <p>1</p> <p>1</p>
<p>31.</p>	<p>Let the income of Aryan and Babban be $3x$ and $4x$ respectively And let their expenditure be $5y$ and $7y$ respectively. Since each saves ₹ 15,000, we get $3x - 5y = 15000$ $4x - 7y = 15000$ Hence $x = 30000$</p> <p>Their income thus become ₹90,000 and ₹1,20,000 respectively.</p> <p style="text-align: center;">OR</p>	<p>1</p> <p>1</p> <p>1</p> <p style="text-align: center;">2 for correct Graph</p>

	<p>Hence, the solution is $x = 2, y = 2$</p> <p>Area= 2 sq. units</p> <p>For Visually Impaired candidates</p> <p>Let the present age of father be x and son be y So, $(x + 5) = 3(y + 5) \Rightarrow x - 3y = 10$ $x - 5 = 7(y - 5) \Rightarrow x - 7y = -30$ So, $x = 40, y = 10.$ Hence the present ages of father and son are 40 years and 10 years Respectively</p>	<p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>1</p> <p>1</p> <p>1</p>
Section D		
32.	<p>Let the original speed of train be x km/hr Distance = 63km, time(t_1) = $\frac{63}{x}$ hrs Faster speed = $(x + 6)$ km/hr time (t_2) = $\frac{72}{x+6}$ hrs Now $t_1 + t_2 = 3$ hrs</p> <p>So $\frac{63}{x} + \frac{72}{x+6} = 3$</p> <p>$63(x + 6) + 72x = 3(x + 6)x$ $135x + 378 = 3x^2 + 18x$ $3x^2 - 117x - 378 = 0$ $x^2 - 39x - 126 = 0$ $x^2 - 42x + 3x - 126 = 0$ gives $(x + 3)(x - 42) = 0$ As x can't be negative, so $x = 42$ km/hr</p> <p>The original speed of train = 42 km/hr</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>
33.	<p>Correct given, figure and construction Correct Proof since LM is parallel to QR Let PM = x $\frac{PL}{PQ} = \frac{PM}{PR}$ $\frac{5.7}{15.2} = \frac{x}{x+5.5}$ $x = PM = 3.3$cm</p>	<p>2</p> <p>2</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>

34.



Slant height of the cone $L = \sqrt{R^2 + H^2} = \sqrt{12^2 + 6^2}$
 $= 3\sqrt{20} \text{ cm}$

Curved Surface area of cone $= \pi RL = \pi \times 12 \times 3\sqrt{20}$
 $= (36\sqrt{20}) \pi \text{ cm}^2$

Area of base circle of cone (= area of outer circle - area of inner circle + top circular area of cylinder)
 $= \pi R^2 = \pi \times (12)^2$
 $= 144\pi \text{ cm}^2$

Curved Surface area of cylinder $= 2\pi rh = 2\pi \times 4 \times 3$
 $= 24\pi \text{ cm}^2$

Surface area of the remaining solid = Curved surface of cone
 + area of base circle of cone
 + curved surface area of cylinder
 $= (36\sqrt{20})\pi + 144\pi + 24\pi$
 $= (168 + 36\sqrt{20})\pi \text{ cm}^2$

OR

(B) Volume of cone $= \frac{1}{3}\pi r^2 h = \frac{1}{3}\pi \times 3 \times 3 \times 12 = 36\pi \text{ cm}^3$

Volume of ice-cream in the cone $= \frac{5}{6} \times 36\pi \text{ cm}^3 = 30\pi \text{ cm}^3$

Volume of ice-cream in the hemispherical part $= \frac{2}{3}\pi r^3 = \frac{2}{3}\pi \times 3 \times 3 \times 3 = 18\pi \text{ cm}^3$

Total volume of the ice-cream $= (30\pi + 18\pi) = 48\pi = 150.86 \text{ cm}^3$ (approx.)

35.

(A) Mode of the frequency distribution = 55
 Modal class is 45-60. Lower limit is 45 Class Interval (h) = 15

Now, Mode $= l + \left(\frac{f_1 - f_0}{2f_0 - f_1 - f_2}\right) \times h$
 $55 = 45 + \frac{15 - x}{30 - x} \times 5$
 So, $x = 5$

CI	f_i	x_i	$f_i x_i$
0-15	10	7.5	75
15-30	7	22.5	157.5
30-45	5	37.5	187.5
45-60	15	52.5	787.5
60-75	10	67.5	675
75-90	12	82.5	990
	59		2872.5

Mean $= \bar{x} = \frac{2872.5}{59} = 48.68$

1/2

1

1

1

1

1/2

2

1+1/2

1+1/2

1/2

1

1

1 1/2

1

OR

(B)

Height (in cm)	Number of girls	Class Interval	frequency
less than 140	04	135-140	4
less than 145	11	140-145	7
less than 150	29	145-150	18
less than 155	40	150-155	11
less than 160	46	155-160	6
less than 165	51	160-165	5

$$\text{Median} = l + \left(\frac{\frac{N}{2} - cf}{f} \right) \times h$$

$$= 145 + \left(\frac{51 - 11}{18} \right) \times 5$$

$$= 149.03$$

$$\text{Median height} = 149.03\text{cm}$$

$$3 \times \text{Median} = \text{Mode} + 2 \times \text{Mean}$$

$$3 \times 149.03 = 148.05 + 2 \times \text{Mean}$$

$$\text{Mean} = 149.52$$

1

1

1

1

1

Section E

36.

(i) Common difference of first progression = 3

Common difference of first progression = -3

Sum of common difference = 0.

$$(ii) t_{34} = 187 + (34-1)(-3)$$

$$\text{So, } t_{34} = 88$$

$$(iii) (A) \text{ Sum} = \frac{10}{2} [2(-5) + (10-1)(3)]$$
$$= 85$$

OR

$$(B) -5 + (n-1)3 = 187 + (n-1)(-3)$$
$$n = 33$$

1

1



1


1

1

1

<p>37.</p>	<p>(i) $PR = \sqrt{(8-2)^2 + (3-5)^2} = 2\sqrt{10}$</p> <p>(ii) Co-ordinates of Q (4,4). The mid-point of PR is (5,4) \therefore Q is not the mid-point of PR</p> <p>(iii) (A) Let the point be (x,0) So, $\sqrt{(2-x)^2 + 25} = \sqrt{(4-x)^2 + 16}$ Hence $x = \frac{3}{4}$. Therefore the point is $(\frac{3}{4}, 0)$. OR (B) The coordinates of S will be $(\frac{2 \times 4 + 3 \times 2}{2+3}, \frac{2 \times 4 + 3 \times 5}{2+3})$ $= (\frac{14}{5}, \frac{23}{5})$</p>	<p>1</p> <p>$\frac{1}{2}$ $\frac{1}{2}$</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>
------------	--	---

<p>38.</p>	 <p>(i) Distance from India gate = 41m, Height of monument = 42m, Shreya's height = 1m So, $\tan \theta = \frac{41}{41} = 1$ Angle of elevation = $\theta = 45^\circ$.</p>  <p>(ii) Angle of elevation = 60° Perpendicular = 41m Let the distance from the India Gate be x m Hence $\tan 60^\circ = \frac{41}{x}$ $\Rightarrow x = \frac{41}{\sqrt{3}}$ \therefore Shreya is standing at a distance of $\frac{41\sqrt{3}}{3}$ m</p>	<p>$\frac{1}{2}$ $\frac{1}{2}$</p> <p>$\frac{1}{2}$ $\frac{1}{2}$</p>
------------	---	---



(iii) (A)

Distance from the India Gate = 41 m

Let the distance moved back be x m

$$\text{Then, } \tan 30^\circ = \frac{41}{41+x}$$


$$x = (41\sqrt{3} - 41) \text{ m} = 41(\sqrt{3}-1) \text{ m}$$

$$\therefore \text{The distance moved back} = 41(\sqrt{3}-1) \text{ m}$$

1

1

OR



(B) Let the angle of elevation of be θ

$$\text{Now, } \tan \theta = \frac{41}{\frac{41}{\sqrt{3}}} = \sqrt{3}$$

$$\text{This gives } \theta = 60^\circ$$

1

1