

Class X Mathematics –Standard (041) Sample Question Paper 2019-20

Max. Marks: 80

Duration : 3 hrs

General Instructions:

- (i) All the questions are compulsory.
- (ii) The question paper consists of 40 questions divided into 4 sections A, B, C, and D.
- Section A comprises of 20 questions of 1 mark each. Section B comprises of 6 questions of 2 marks each. Section C comprises of 8 questions of 3 marks each. Section D comprises of 6 questions of 4 marks each.
- (iv) There is no overall choice. However, an internal choice has been provided in two questions of 1 mark each, two questions of 2 marks each, three questions of 3 marks each, and three questions of 4 marks each. You have to attempt only one of the alternatives in all such questions.
- (v) Use of calculators is not permitted.


	SECTION A	
Q 1-	• Q 10 are multiple choice questions. Select the most appropriate answer from the	
give	en options.	
1	 The decimal representation of ¹¹/_{2³× 5} will a) terminate after 1 decimal place b) terminate after 2 decimal places c) terminate after 3 decimal places 	1
	d) not terminate	

2	Consider tl	ne following	frequency of	distribution o	of the heights	s of 60 stude		DIA
	Height (in cm)	150-155	155-160	160-165	165-170	170-175	175-180	
	No of students	15	13	10	8	9	5	
	The upper a) 165 b) 155 c) 160 d) 170		median clas	s in the give	n data is			
3	The LCM c a) 12 b) 4 c) 20 d) 44	of smallest t	wo digit com	nposite numt	per and sma	llest compos	site number is	1
						0		
4	equations	value(s) of <u>p</u> be parallel eal values e		es represen $3x - y - 6x - 2y - 6x - 2x - 2x - 2x - 2x - 2x - 2x - 2x$		Ilowing pair	of linear	1
	N							1


5	If triangle ABC is right angled at C, then the value of sec (A+B) is	DIA
5	a) 0	
	b) 1	
	C) $\frac{2}{\sqrt{3}}$	
	d) not defined	
6	If $sin\theta + cos\theta = \sqrt{2}cos\theta$, $(\theta \neq 90^\circ)$ then the value of $tan\theta$ is	1
•	a) $\sqrt{2} - 1$	
	b) $\sqrt{2} + 1$	
	c) $\sqrt{2}$	
	d) $-\sqrt{2}$	
7	Given that $sin\alpha = \frac{\sqrt{3}}{2}$ and $cos\beta = 0$, then the value of $\beta - \alpha$ is	1
	a) 0°	
	b) 90°	
	c) 60°	
	d) 30°	
8	The point which divides the line segment joining the points $(8,-9)$ and $(2,3)$ in ratio 1 + 2 internally line in the	1
	ratio 1 : 2 internally lies in the	
	a) I quadrant	
	b) II quadrant	
	c) III quadrant	
	d) IV quadrant	
9	The distance of the point P $(-3, -4)$ from the <i>x</i> -axis (in units) is	1
	b) -3	
	c) 4	
	d) 5	

10	If A($\frac{m}{3}$,5) is the mid-point of the line segment joining the points Q (- 6, 7) are CAREERIND	A
10		-
	R (-2, 3), then the value of m is	
	a) -12	
	b) -4	
	c) 12	
	d) -6	
(0)	11- Q 15) Fill in the blanks	
	The tetal conference of the characteristic former in	4
11	The total surface area of the given solid figure is	1
	$\bigwedge l$	
	$\langle \cdot \rangle$	
	r	
	h	
12	If one root of the equation $(k - 1)x^2 - 10x + 3 = 0$ is the reciprocal of the other, then the	1
	value of k is	
	OR	
	The graph of x_{i} , $y(x)$, where $y(x)$ is a polynomial in variable y_{i} is as follows:	
	The graph of $y = p(x)$, where $p(x)$ is a polynomial in variable x, is as follows:	
	Y	
	X o z	
	\vee $ $ \vee $ $	
	The number of zeroes of $p(x)$ is	
13	The perimeters of two similar triangles ΔABC and ΔPQR are 35cm and 45cm	1
	respectively, then the ratio of the areas of the two triangles is	


14	Fill the two blanks in the sequence 2,, 26, so that the sequence 2,,	A
	A.P	
4 -		_
15	A number is chosen at random from the numbers -5, -4, -3, -2, -1, 0, 1, 2, 3, 4, 5. Then the probability that square of this number is less than or equal to 1 is	1
(Q 1	6- Q 20) Answer the following	
、		
16	Write one rational and one irrational number lying between 0.25 and 0.32	1
17	In the figure, if $\angle ACB = \angle CDA$, $AC = 6$ cm and $AD = 3$ cm, then find the length of AB	1
	Ç	
	A B	
	D	
18	If the angle between two tangents drawn from an external point 'P' to a circle of radius 'r'	1
	and centre O is 60° , then find the length of OP.	
	OR	
	O II	
	If the radii of two concentric circles are 4 cm and 5 cm, then find the length of each	
	chord of one circle which is tangent to the other circle.	
19	If the first three terms of an A.P are b, c and 2b, then find the ratio of b and c	1
20	Find the value(s) of k for which the quadratic equation $x^2 + 2\sqrt{2}kx + 18 = 0$ has equal	1
	roots	
	<u>Section – B</u>	
21	Find the number of natural numbers between 102 and 998 which are divisible by 2 and 5	2
	both.	
22	Prove that the rectangle circumscribing a circle is a square.	2



25	Jayanti throws a pair of dice and records the product of the numbers appearing it is a second state of the second	2
_•	dice. Pihu throws 1 dice and records the squares the number that appears on it. Who has the better chance of getting the number 36? Justify?	
	OR	
	 An integer is chosen between 70 and 100, Find the probability that it is (a) a prime number (b) divisible by 7 	
26	Isha is 10 years old girl. On the result day, Isha and her father Suresh were very happy as she got first position in the class. While coming back to their home, Isha asked for a treat from her father as a reward for her success. They went to a juice shop and asked for two glasses of juice.	2
	Aisha, a juice seller, was serving juice to her customers in two types of glasses. Both the glasses had inner radius 3cm. The height of both the glasses was 10cm.	
	First type: A Glass with hemispherical raised bottom.	
	Second type: A glass with conical raised bottom of height 1.5 cm.	
	Isha insisted to have the juice in first type of glass and her father decided to have the juice in second type of glass. Out of the two, Isha or her father Suresh, who got more quantity of juice to drink and by how much?	
	Section C	
27	Given that $\sqrt{5}$ is irrational, prove that $2\sqrt{5} - 3$ is an irrational number.	3
	OR	
	If HCF of 144 and 180 is expressed in the form 13m-16. Find the value of m.	



		A
	7 Town A	
	6	
	5	
	Town B	
	_8 _7 _6 _5 _4 _3 _2 _1 0 1 2 3 4 5 6 7 8 8 10 →	
	-2	
	-3	
	(i) Who will travel more distance, Seema or Aditya, to reach to their hometown?	
	(ii) Seema and Aditya planned to meet at a location D situated at a point D	
	represented by the mid-point of the line joining the points represented by Town A and Town B. Find the coordinates of the point represented by the	
	point D	
	(iii) Find the area of the triangle formed by joining the points represented by A, B	
	and C.	
32	If sin θ + cos θ = $\sqrt{3}$, then prove that tan θ + cot θ =1	3
	OR	
	Evaluate:	
	$\frac{\cos^{2}(45^{\circ}+\theta) + \cos^{2}(45^{\circ}-\theta)}{\tan(60^{\circ}+\theta) \times \tan(30^{\circ}-\theta)} + (\cot 30^{\circ} + \sin 90^{\circ}) \times (\tan 60^{\circ} - \sec 0^{\circ})$	
	$\tan(60^\circ + \theta) \times \tan(30^\circ - \theta)$	
20	Sides of a right triangular field are 25m, 24m and 7m. At the three corners of the field, a	3
33	cow, a buffalo and a horse are tied separately with ropes of 3.5 m each to graze in the	3
	field. Find the area of the field that cannot be grazed by these animals.	
_		



	GAREERI	NDIA
36	Prove that if a line is drawn parallel to one side of a triangle to intersect the other two sides in distinct points, then the other two sides are divided in the same ratio.	o 4
37	A train covers a distance of 360 km at a uniform speed. Had the speed been 5km/hou more, it would have taken 48 minutes less for the journey. Find the original speed of the train. OR	
	Solve the following equation:	
	$\frac{1}{x} - \frac{1}{x-2} = 3, \ x \neq 0, \ 2$	
38	A petrol tank is in the form of a frustum of a cone of height 20 m with diameters of in lower and upper ends as 20 m and 50 m respectively. Find the cost of petrol which ca fill the tank completely at the rate of Rs. 70 per litre. Also find the surface area of the tank.	n
	OR	
	Water is flowing at the rate of 15km/hour through a pipe of diameter 14cm into cuboidal pond which is 50m long and 44m wide. In what time will the level of water in the pond rise by 21cm?	
39	The angle of elevation of an airplane from a point on the ground is 60° . After a flight of 30 seconds, the angle of elevation becomes 30° . If the airplane is flying at a constant height of $3000\sqrt{3}$ m, find the speed of the airplane.	
40	Daily wages of 110 workers, obtained in a survey, are tabulated below: Daily 100-120 120-140 140-160 160-180 180-200 200-220 220-240 Wages (in Rs.) (in Rs.) 100-120 120-140 140-160 160-180 180-200 200-220 220-240	4
	Number 10 15 20 22 18 12 13 of Workers 13	
	Compute the mean daily wages and modal daily wages of these workers.	